



10300 E. 107th Place Brighton, CO 80601
www.sashco.com • 800-767-5656

Keep up with SashcoInc on:





2015

Home Improvement Product Catalog

Delivering high performance products since 1936



At Sashco, we're driven by a passion to make products that work right the first time. Like you, we get frustrated by that toy that breaks, screw driver that bends, cutter that doesn't cut, or sticker that doesn't stick. It's why we only make high-performance products designed to work best in their applications. You won't find a good-better-best mindset at Sashco. Why? To help prevent needless frustration. We like to call it "delighting the customer with a better way."

The Real Seal.


Coming soon! Sashco's dynamic email newsletter will provide:

- Great home improvement techniques
- Cool caulk ideas
- What's new at Sashco
- Funny stories from the caulking community
- Valuable promotional offers





Talk to Real People.



Call us toll free at 1-800-767-5656. Customer service representatives are available to answer your questions Monday-Friday 6AM until 5PM Mountain Standard Time.

Or, scan the code to your left and fill out a form and we will respond within one business day.



Homes move. (Just ask Dorothy and Toto.) Window frames move away from the siding or doors shift against the brick. They move when the temperature changes, the rain falls, the wind blows or the earth quakes. Most latex caulks can't take it – they dry hard and crack out. That's why you need Big Stretch® 100% acrylic latex caulk. It will stick, twist, bend, compress, and stretch to handle most any movement your home can dish out.

Features & Benefits

- Super elastic – moves instead of tears
- For interior and exterior use
- Highly durable – performs long-term
- Low VOC – low odor; environmentally friendly
- Superb paintability
- Freeze-thaw stable – OK to leave in the truck overnight
- Limited Lifetime Warranty
- Paintable with exterior latex paints/stains after 4 hours
- Paintable with interior latex paints/stains after 24-48 hours
- Soap and water cleanup
- Available in 13 colors
- Available in 10.5 oz and 29 oz. cartridges*

* 29 oz. cartridge is only available in white.

Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
10.5 oz. Almond	12	10002	031525 100029	031525 910024	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Black	12	10004	031525 100043	031525 910048	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Clear	12	10006	031525 100671	031525 910062	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Dark Brown	12	10008	031525 100081	031525 910086	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Gray	12	10010	031525 100104	031525 910109	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Redwood	12	10012	031525 100128	031525 910123	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Tan	12	10014	031525 100142	031525 910147	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. White	12	10016	031525 100166	031525 910161	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Woodtone	12	10018	031525 100180	031525 910185	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Ironstone	12	10020	031525 100203	031525 910208	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Limestone	12	10022	031525 100227	031525 910222	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Pine Green	12	10024	031525 100241	031525 910246	8.3"x6.0"x12"	11.40 lbs.
10.5 oz. Slate Gray	12	10026	031525 100265	031525 910260	8.3"x6.0"x12"	11.40 lbs.
29 oz. White	12	10086	031525 100869	031525 910864	13.3"x17.5"x5.3"	22.90 lbs.

Won't Crack...It Just Stretches

Where to Use

Big Stretch® is perfect for many interior and exterior applications, including:

- Baseboards
- Crown molding
- Doors
- Eaves
- Siding
- Soffits
- Sound-proofing interior walls
- Vents
- Windows

Adheres to a variety of building materials and other surfaces, including:

- Acrylic sheet
- Aluminum
- Anodized windows
- ASB
- Asphalt
- Brass
- Brick
- Cinder block
- Concrete
- Drywall
- EIFS
- Fiber cement
- Fiberglass
- Glass
- Nylon
- Mortar
- Plexiglas
- PVC
- Steel
- Stone
- Stucco
- Tile
- Urethane
- Wood
- Vinyl



Did You Know?

Big Stretch can stretch up to 400% of its original width? Scan the code to learn more about Big Stretch or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Big Stretch®



Enough Already! Concrete repair sealants tend to all be the same: they stick, but can't stretch. Or, they'll stretch, but won't stick. Either way, you're left where you started: with an ugly concrete crack and back pain from all your hard work. Get Slab.® Twelve years in the making, Slab is the winning combination you've been waiting for. It sticks, stretches and stays for permanent concrete crack repair. Slab is the only concrete caulk with superior adhesion to concrete and extreme elasticity (even in freezing temperatures). Plus, it's water-based for easy application and clean up, and is textured and colored to match aged concrete. Seal your crack and save your back.

Features & Benefits

- Extremely elastic – moves, won't crack, even when cold
- Powerful adhesion
- Spans gaps up to 3" wide with no slump
- High durability – performs long-term
- Water based – easy to tool and clean up
- No isocyanates—meets strictest VOC requirements; environmentally friendly; No harsh chemical smells (unlike most concrete crack repair sealants)
- Freeze-thaw stable – OK to leave in the truck overnight
- Paintable with latex paints/stains after 24-48 hours
- Soap and water cleanup
- Available in Gray
- Available in 10.5 oz. cartridge

Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
10.5 oz. Gray	12	16210	031525 162102	031525 916101	8.3"x6.0"x12"	10.65 lbs.

The Serious Fix for Concrete Cracks


Where to Use

Slab is perfect for repairing large or small cracks in concrete, brick or stone including:

- Driveways
- Garages & Sheds
- Horizontal expansion joints
- Patios
- Sidewalks

Adheres to a variety of building materials and other surfaces, including:

- Concrete
- Asphalt
- Brick
- Cinder Block
- EIFS
- Mortar
- Stone
- Stucco
- Wood




Did You Know?

Slab spans cracks up to 3 inches wide?
Scan the code to learn more about Slab®
or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Slab®



Lexel: It's the tough elastic sealant for every job. It stretches up to 750% of original joint size. (Psst: that's 400% more than silicone!) It's paintable, scrubbable and sticks to just about anything for a permanent seal. Use it around tubs and shower stalls, sinks and counter tops, window frames and door frames, PVC and metal pipes. Apply to wet or dry surfaces, indoors and outdoors. Lexel clear caulk is 19 times clearer than silicone and won't yellow or cloud up over time. Lexel won't let you down.

Features & Benefits

- Paintable
- Instantly waterproof
- Cured sealant is mold and mildew resistant
- Sticks to wet surfaces
- Elastomeric with powerful adhesion – stretches but won't tear, crack or pull away; will not rip apart the substrate when joints expand
- Ultra clear caulk – 19 times clearer than silicone caulk, won't yellow and won't cloud
- Can be applied to joints up to 2" wide
- Won't freeze – OK to leave in your truck overnight
- Available in 5.5 oz. squeeze tube and 10.5 oz. cartridge
- Available in clear and white
- Low VOC formula available in white*

* White not available in CA. ** Lexan®, Formica®, and Corian® are registered trademarks of their respective owners.


Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
5 oz. Clear	12	13013	031525 130132	031525 913131	9"x8.5"x5.8"	4 lbs.
5 oz. White	12	13033	031525 130330	031525 913339	9"x8.5"x5.8"	4 lbs.
5 oz. White - VOC	12	13043	031525 130439	031525 913438	9"x8.5"x5.8"	4 lbs.
10.5 oz. Clear	12	13010	031525 130101	031525 913100	8.3"x6.0"x12"	9.25 lbs.
10.5 oz. White	12	13030	031525 130309	031525 913308	8.3"x6.0"x12"	9.25 lbs.
10.5 oz. White - VOC	12	13080	031525 130804	031525 913803	8.3"x6.0"x12"	9.25 lbs.

The Tough Elastic Sealant for Every Job

Where to Use

Lexel® is excellent for a variety of indoor and outdoor applications, including:

- Countertops
- Sills
- & backsplashes
- Thresholds
- Ductwork & HVAC
- Trim
- Kitchen & bathroom fixtures
- Wallpaper (helps prevent curling)
- Masonry
- Windows & doors
- Moulding
- Wood
- Pipes & air conditioners
- Vents
- Siding



Sticks to almost anything, including:

- | | |
|--------------------|--------------------------|
| - Metals: | - Other Surfaces: |
| Aluminum, | Asphalt |
| Anodized Windows | Brick |
| Brass | Cinder Block |
| Steel | Concrete |
| - Plastics: | Corian®** |
| ABS | Drywall |
| Acrylic Sheet | Fiber Cement |
| Fiberglass | Formica®** |
| Lexan®** | Glass |
| Nylon | Mortar |
| PVC | Porcelain |
| Plexiglass | Stone |
| Polycarbonate | Stucco |
| Polystyrene | Tile |
| Vinyl | Wood |
| Urethane | And more! |



Did You Know?

Lexel® won't freeze? Go ahead – leave it in the truck overnight. Scan the code to learn more about Lexel® or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Lexel®



Stops leaks now. When your roof absolutely, positively needs to be water-tight (and really, when does it not?), use Through the *ROOF!*® Its unique co-polymer rubber formula creates a permanent, invisible seal, even when applied in the middle of a rain storm. (It works great on dry surfaces, too.) Through the *ROOF!*® will stick to almost any roofing surface – metal, plastic, asphalt, wood, concrete, and more. Plus, it won't freeze. So go ahead and fix that gutter in a Minnesota winter. You might get some concerned stares from your neighbors, but they'll be grateful the next time you host the neighborhood party and their heads stay dry.

Features & Benefits

- Elastomeric with powerful adhesion – stretches but won't tear, crack or pull away
- Ultra-clear and stays clear – will not yellow over time
- Sticks to wet surfaces – instantly waterproof
- Excellent UV resistance
- Lasts 20 times longer than asphalt roof patch products
- Adheres to most existing patches – save time when you don't have to remove the old product
- Paintable
- Water and mildew resistant
- Won't freeze – OK to leave out in your truck overnight
- Available in 10.5 oz. cartridge
- Available in brush-on grade 1 quart and 1 gallon containers
- Available in clear

* May warp or wrinkle the membrane, but will maintain a tight seal. **Lexan® is a registered trademark of its respective owner.

Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
10.5 oz. Clear	12	14010	031525 140100	031525 914107	8.3"x6.0"x12"	9.30 lbs.
1 quart can Clear	6	14003	031525 140032	031525 914039	13"x8.8"x5.5"	12.50 lbs.
1 quart can Clear - VOC	6	14023	031525 140230	031525 914237	13"x8.8"x5.5"	13.75 lbs.
1 gallon pail Clear	2	14004	031525 140049	031525 914046	13.8"x7.3"x8.0"	15.75 lbs.
1 gallon pail Clear - VOC	2	14024	031525 140247	031525 914244	13.8"x7.3"x8.0"	18.25 lbs.

Seals Leaks That Asphalt Can't!

Where to Use

For repairs that stick, but won't stick out, use Through The *ROOF!*® on common roofing fixtures, including:

- Brick/block/mortar
- Chimneys
- Ductwork
- Flashing
- Gutters
- PVC & ABS vent pipe
- Rubber roof membranes*
- Roof jacks, cables and air conditioning units*
- Shingles & shakes
- Skylights
- Vents

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic Sheet
- Aluminum
- Anodized Windows
- Asphalt
- Brass
- Brick
- Concrete
- Fiber Cement
- Fiberglass
- Glass
- Lexan®**
- Mortar
- Nylon
- Plexiglas
- Polycarbonate
- Polystyrene
- Porcelain
- PVC
- Stone
- Stucco
- Steel
- Tile
- Urethane
- Vinyl
- Wood



Did You Know?

Through the *ROOF!*® seals active leaks? Scan the code to learn more about Through the *ROOF!*® or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

Through the *ROOF!*



A perfect match. Are you tired of ugly caulk lines? Have you been on an endless search for that perfect custom colored caulk to match your new paint job, only to end up lost and disappointed? Your search is over. Perfectly color matched caulk is here with eXact color®. Just add your paint, mix it up, and viola – you have an eXact match to any color. No tools required, no mess. Best of all, eXact color has all the same performance properties of Big Stretch®, so you don't have to worry about whether or not it will actually work. Rest easy, stop searching, and use eXact color.

Features & Benefits

- Simply add any latex paint (even metallic), stain or universal pigment to create a custom color caulk
- No special tools required – mix on-site with no mess
- Interior and exterior use
- Can be applied to joints up to 2" wide
- Paintable, in case you change your mind about the color down the line
- Super elastic with powerful adhesion – won't pull away or crack
- Water clean-up
- Low VOC – low odor, environmentally friendly

** Lexan®, Formica®, and Corian® are registered trademarks of their respective owners.

Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
Contractor Pack	6	12005	031525 120058	031525 912059	8.0"x6.3"x9.5"	4.40 lbs.
DIY Pack	6	12010	031525 12010	031525 912103	10.8"x6.5"x7.5"	5.30 lbs.

Tintable Caulk. Just Add Paint.

Where to Use

eXact color is excellent for use in a variety of areas, including:

- Countertops & backsplashes
- Metals
- Plastics
- Siding
- Tile
- Walls & wallpaper
- Windows & doors
- Wood or vinyl moulding, baseboards & trim

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic Sheet
- Aluminum
- Anodized Windows
- Asphalt
- Brass
- Brick
- Cinder Block
- Concrete
- Corian®
- Drywall
- Fiber Cement
- Fiberglass
- Formica®
- Glass
- Lexan®
- Mortar
- Nylon
- Plexiglass
- Polycarbonate
- Polystyrene
- Porcelain
- PVC
- Steel
- Stone
- Stucco
- Tile
- Urethane
- Wood
- Vinyl



Did You Know?

eXact color® has infinite color possibilities? Scan the code to learn more about eXact color® or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us



Can you see it? If you're tired of shiny caulk lines all over your wood, use Conceal® instead. Conceal is the first caulk designed specifically for wood. It's lightly textured to simulate the natural roughness of wood and comes in seven colors designed to complement the most popular wood stain colors. The caulking disappears into the woodwork and your home is sealed from the elements. Stop staring at those funny looking caulk lines and get Conceal.



Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
10.5 oz. Red Tone	12	46010	031525 460109	031525 946108	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Brown Tone	12	46030	031525 460307	031525 946306	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Harvest Wheat	12	46040	031525 460406	031525 946405	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Redwood	12	46060	031525 460604	031525 946603	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Gold Tone	12	46070	031525 460703	031525 946702	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Frontier Gold	12	46080	031525 46080 2	031525 946801	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Grizzly Brown	12	46090	031525 460901	031525 946900	8.3"x6.0"x12"	11.25 lbs.
29 oz. Red Tone	10	46013	031525 460130	031525 946139	13.3"x17.5"x5.3"	24.50 lbs.
29 oz. Brown Tone	10	46033	031525 460338	031525 946337	13.3"x17.5"x5.3"	24.50 lbs.
29 oz. Harvest Wheat	10	46043	031525 460437	031525 946436	13.3"x17.5"x5.3"	24.50 lbs.
29 oz. Redwood	10	46063	031525 46063 5	031525 946634	13.3"x17.5"x5.3"	24.50 lbs.
29 oz. Gold Tone	10	46073	031525 46073 4	031525 946733	13.3"x17.5"x5.3"	24.50 lbs.
29 oz. Frontier Gold	10	46083	031525 46083 3	031525946832	13.3"x17.5"x5.3"	24.50 lbs.
29 oz. Grizzly Brown	10	46093	031525 46093 2	031525946931	13.3"x17.5"x5.3"	24.50 lbs.
5 gallon Red Tone	1	46015	031525 46015 4	N/A	N/A	49.30 lbs.
5 gallon Brown Tone	1	46035	031525 46035 2	N/A	N/A	49.30 lbs.
5 gallon Harvest Wheat	1	46045	031525 46045 1	N/A	N/A	49.30 lbs.
5 gallon Redwood	1	46065	031525 46065 9	N/A	N/A	49.30 lbs.
5 gallon Gold Tone	1	46075	031525 46075 8	N/A	N/A	49.30 lbs.
5 gallon Frontier Gold	1	46085	031525 46085 7	N/A	N/A	49.30 lbs.
5 gallon Grizzly Brown	1	46095	031525 46095 6	N/A	N/A	49.30 lbs.

Easy to use—hard to see.


Features & Benefits

- Lightly textured to blend in with wood
- Super elastic – stretches, won't crack or tear
- Powerful adhesion to a variety of wood species
- Compatible with all Sashco stains
- Goes on smooth, easy to work with
- Resistant to rainfall in 1-4 hours
- Water clean-up
- Low VOC – low odor; environmentally friendly
- Paintable
- UV resistant – stays elastic; durable over the long term
- Exterior & interior
- Freeze-thaw stable – OK to leave in your truck overnight
- Available in 10 oz. cartridge, 29 oz. cartridge, and 5 gallon pail
- Available in 7 colors

Where to Use

Use Conceal® anywhere you want to match the color and texture of your wood surface, including:

- Around wood window and door trim
- Baseboards
- Crown molding
- Log homes
- Log checks
- Where wood siding meets corner boards
- Where wood siding meets chimneys or brick
- Wood siding, including pine, cedar, redwood and many others



Did You Know?

Conceal® is Conceal is lightly textured to blend in with wood grain.? Scan the code to learn more about Conceal® or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us



The logo for Conceal, featuring the word "Conceal" in a stylized, italicized font. The "C" is large and has a swoosh that extends under the rest of the word.



It's scary. Your mortar cracks, your stucco streaks, your concrete leaks, and eek! What are you going to do? Replacement and repeated repairs are a waste of time and money. Use Mor-Flexx® instead. This flexible and elastic caulk is textured to blend in with textured surfaces and is paintable so you can get the right match. Plus, it stays elastic over time, so you don't have to worry about doing the same work over and over again. With Mor-Flexx, no one will know you had an unsightly crack, including you.

Features & Benefits

- Textured to blend in with, stucco and concrete
- Spans gaps up to 3" wide with no slump
- Elastomeric with powerful adhesion—stretches, won't crack, tear or pull away
- Low VOC—low odor; environmentally friendly
- Paintable
- Water clean-up
- Freeze-thaw stable—OK to leave in the truck overnight
- Available in 10.5 oz. cartridge
- Available in 2 colors

Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
10.5 oz. Beige	12	15010	031525 150109	031525 915104	8.3"x6.0"x12"	11.25 lbs.
10.5 oz. Gray	12	15020	031525 150208	031525 915203	8.3"x6.0"x12"	11.25 lbs.

Looks like mortar. Stretches like rubber.


Where to Use

Mor-flexx® adheres to and mimics a variety of textured surfaces, including:

- Brick
- Cinderblock
- Concrete
- Mortar
- Stone
- Stucco
- Wood

Adheres to a variety of building materials and other surfaces, including:

- Aluminum
- Anodized Windows
- Architectural Foam
- Brass
- Brick
- Cinder Block
- Concrete
- Drywall
- Fiber Cement
- Mortar
- PVC
- Steel
- Stone
- Stucco
- Tile
- Vinyl
- Wood



Did You Know?

Mor-Flexx® is textured to blend in with different surfaces so you can get the right match? Scan the code to learn more about Mor-flexx® or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

MOR-FLEXX®

No one likes mildew. It stinks, looks bad, and it's not good for your health. Now, you can make mildewy caulk in your kitchen or bathroom a thing of the past with MildewFree* mildew-resistant sealant. This super-flexible sealant prevents mildew from growing on it year after year. MildewFree is hopped up on super doses of environmentally-safe mildewcides that keep the ugly mildew monster at bay for at least seven years. If it doesn't, we'll pay to have someone come out and replace it for you.

Features & Benefits

- 7-year replacement warranty, including labor costs
- Maintains a watertight seal
- Easy to apply
- Water clean up
- Scrubbable—won't get damaged by abrasive cleaners, bleaches and other common household cleaners
- Elastomeric with powerful adhesion—Stretches; won't pull away or crack
- Low VOC—low odor; environmentally friendly
- Paintable



Cured sealant is mildew resistant. 7 year guarantee: MildewFree Sealant is guaranteed for 7 years to prevent mildew growth on the sealant. If mildew growth occurs on the sealant (not on soap film)*, within 7 years of purchase, Sashco will replace the product and provide a contractor for re-installation. Proof of purchase is required. Warranty applies to single family residential use only. No other warranties expressed or implied. ***Note: clean regularly to prevent soap film build up and mildew growth on soap film. **** Lexan®, Formica®, and Corian® are registered trademarks of their respective owners.

Description	Case Pack	Item #	Item UPC	Case UPC	Case Dimensions	Case Weight
6 oz. White	12	11062	031525 11062 2	031525 911625	10.3"x5.2"x5.9"	7.30 lbs.
6 oz. Linen	12	11066	031525 11066 9	031525 9111663	10.3"x5.2"x5.9"	7.30 lbs.

The only sealant with a labor-included guarantee.

Where to Use

You can use MildewFree* all around your house, including:

- Backsplashes & sinks
- For resetting tiles
- Kitchen & bathroom fixtures
- Shower surrounds, bathtubs, toilets

Adheres to a variety of building materials and other surfaces, including:

- ABS
- Acrylic Sheet
- Brick
- Cinder Block
- Concrete
- Corian®****
- Drywall
- Fiberglass
- Formica®****
- Glass
- Granite
- Lexan®****
- Marble
- Mortar
- Nylon
- Plexiglass
- Polycarbonate
- Polystyrene
- PVC
- Slate
- Stone
- Stucco
- Tile
- Urethane
- Vinyl
- Wood



Did You Know?

MildewFree* cured sealant has a 7 year guarantee? Scan the code to learn more about MildewFree or download support materials.

Questions?

- Call us: 800-767-5656
- Contact us: www.sashco.com/contact-us

MildewFree Sealant*

*Cured sealant is mildew resistant